

1.	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
	Product Code	30810
	Trade Name	MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST
	Manufacturer/Supplier	Shipley Company
	Address	455 Forest St. Marlborough, Massachusetts 01752
	Phone Number	(508) 481-7950
	Emergency Phone Number	(508) 481-7950
	Chemtrec #	(800) 424-9300
	MSDS first issued	6 February 1999
	MSDS data revised	8 February 1999
	Prepared By:	Gregory S. Dripps
	Local Sales Company	Shipley Company, 455 Forest Street, Marlboro, MA 01752 (508-481-7950)
2.	COMPOSITION/INFORMATION ON THE INGREDIENTS	

Hazardous Components in Preparation for US

Component Name	Codes	Concentration		
ethyl lactate	97-64-3	30.00 - 52.00		
anisole	100-66-3	15.00 - 25.00		
Diazo Photoactive Compound		1.00 - 10.00		
Cresol Novolak Resin		14.00 - 40.00		
cresol	1319-77-3	0.01 - 0.99		
2-Methyl Butyl Acetate	624-41-9	1.00 - 5.00		
n-amyl acetate	628-63-7	2.00 - 7.00		
Organic Siloxane Surfactant		0.01 - 0.10		

3.	HAZARD IDENTIFICATION	
	Main Hazards	- Irritant - Combustible - Skin - Eye - Nervous System
	Routes of Entry	Inhalation, ingestion, eye and skin contact, absorption.
	Carcinogenic Status	Not considered carcinogenic by NTP, IARC and OSHA
	Target Organs	- Skin - Eye - Nervous System
	Health Effects - Eyes	Liquid or vapor may cause slight transient irritation.
	Health Effects - Skin	Material may cause slight irritation on prolonged or repeated contact. Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis.
	Health Effects - Ingestion	Swallowing may have the following effects: - irritation of mouth, throat and digestive tract - nausea - vomiting - diarrhea

	Health Effects - Inhalation	Exposure to vapor at high concentrations may have the following effects: - irritation of nose, throat and respiratory tract - dizziness - drowsiness - loss of coordination - headache - nausea - vomiting
4.	FIRST AID MEASURES	
	First Aid - Eyes	Immediately flush the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
	First Aid - Skin	Wash skin with water. Obtain medical attention if blistering occurs or redness persists.
	First Aid - Ingestion	Wash out mouth with water. Obtain medical attention.
	First Aid - Inhalation	Remove from exposure. If there is difficulty in breathing, give oxygen. Seek medical attention if symptoms persist.
	Advice to Physicians	Treat symptomatically.
5.	FIRE FIGHTING MEASURES	
	Extinguishing Media	Use water spray, foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray.
	Special Fire-Fighting Procedures	This product may give rise to hazardous vapors in a fire. Vapors can travel a considerable distance to a source of ignition and result in flashback.
	Unusual Fire & Explosion Hazards	Pressure may build up in closed containers with possible liberation of combustible vapors.
	Protective Equipment for Fire-Fighting	Wear full protective clothing and self-contained breathing apparatus.
6.	ACCIDENTAL RELEASE MEASURES	
	Spill Procedures	Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal. Finally flush area with plenty of water.
	Personal Precautions	Wear appropriate protective clothing. Wear respiratory protection. Eliminate all sources of ignition.
	Environmental Precautions	Prevent the material from entering drains or water courses.
7.	HANDLING AND STORAGE	
	Handling	Use local exhaust ventilation. Avoid contact with eyes, skin and clothing. Keep container tightly closed when not in use.
	Storage	Store in original containers. Store away from sources of heat or ignition. Storage area should be: - cool - dry - well ventilated - out of direct sunlight
Other		
None known.		
8.	EXPOSURE CONTROLS/PERSONAL PROTECTION	
Occupational Exposure Standards		
	ethyl lactate	None assigned.
	cresol	ACGIH: TLV 5ppm (22mg/m3) 8h TWA. OSHA: PEL 5ppm (22mg/m3) 8h TWA. UK EH40: OES 5ppm (22mg/m3) 8h TWA. Can be absorbed through skin.

	2-Methyl Butyl Acetate	None assigned.
	n-amyl acetate	ACGIH: TLV 100ppm (532mg/m ³) 8h TWA. OSHA: PEL 100ppm (525mg/m ³) 8h TWA.
	Engineering Control Measures	Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.
	Respiratory Protection	Respiratory protection if there is a risk of exposure to high vapor concentrations. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.
	Hand Protection	Butyl rubber gloves.
	Eye Protection	Chemical goggles.
	Body Protection	Normal work wear.
9.	PHYSICAL AND CHEMICAL PROPERTIES	
	Physical State	Liquid
	Color	Red Amber
	Odor	Mild Ester
	VOC (g/l)	605-861
	Specific Gravity	1.05-1.1
	pH	Neutral
	Boiling Range/Point (°C/F)	150 / 302
	Flash Point (PMCC) (°C/F)	43.3-45.6 / 110-114
	Explosion Limits (%)	Lower limit ~2%
	Solubility in Water	Insoluble.
	Vapor Density (Air = 1)	Heavier than air.
	Evaporation Rate	Slower than ether
	Vapor Pressure	Ethyl Lactate: 2.0 mmHg at 20 °C. Anisole: 9.7 mmHg at 42 °C. Amyl Acetate (mix): 4.00 mmHg at 20 °C.
10.	STABILITY AND REACTIVITY	
	Stability	Stable under normal conditions.
	Conditions to Avoid	- High temperatures - Static discharge
	Incompatibilities	- Oxidizing agents - Bases - Acids
	Hazardous Polymerization	Will not occur.
	Hazardous Decomposition Products	- carbon monoxide - Carbon Dioxide - phenols - oxides of nitrogen - oxides of sulfur
11.	TOXICOLOGICAL INFORMATION	
	Acute Data	Ethyl lactate: Oral LD50 (mouse) 2500mg/kg. Anisole: Oral LD50 (rat) 3700mg/kg. n-Amyl Acetate: Oral LD50 (rat) 16600mg/kg.
	Chronic/Subchronic Data	No data.
	Genotoxicity	No adverse effects are expected.
	Reproductive/Developmental Toxicity	No adverse reproductive or fetal developmental effects are expected.
	Additional Data	None known.
12.	ECOLOGICAL INFORMATION	
	Mobility	No relevant studies identified.
	Persistence/Degradability	Ethyl Lactate: COD = 0.00166g/g.
	Bio-accumulation	Product is not expected to bioaccumulate.

	Ecotoxicity	Ethyl Lactate: Tests on the following species gave a 48h EC50 of 683mg/litre: - daphnia
13.	DISPOSAL CONSIDERATIONS	
	Product Disposal	Incineration is the recommended method of disposal. Dispose of in accordance with all applicable local and national regulations.
	Container Disposal	Labels should not be removed from containers until they have been cleaned. Empty containers may contain hazardous residues. Dispose of containers with care.
14.	TRANSPORT INFORMATION	
	DOT Ground:	Not Regulated per 49 CFR 173.150(f)(2)
	UN Proper Shipping Name	Flammable liquid, n.o.s.
	UN Class	(3) Flammable Liquid
	UN Number	UN1993
	UN Packaging Group	III
	N.O.S. 1:	ethyl lactate
	N.O.S. 2:	Anisole
	Subsidiary Risks	None.
	ADR/RID Substance Identification Number	CLASS 3 - 31(c)
	CERCLA RQ	Cresol (100#)
	Marine Pollutant	No.
15.	REGULATORY INFORMATION	
	TSCA Listed	All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.
	TSCA Exemptions	
	TSCA Sec.12(b) Export Notification	This product does not contain any substances subject to Section 12(b) export notification.
	WHMIS Classification	D.2.B B.3
	MA Right To Know Law	All components have been checked for inclusion on the Massachusetts Substance List (MSL). Those components present at the de minimus concentration have been identified in the hazardous ingredients section of the MSDS.
	California Proposition 65	This product does not contain materials which the State of California has found to cause cancer, birth defects or other reproductive harm.
	SARA TITLE III-Section 311/312 Categorization (40 CFR 370)	Immediate, delayed, flammability hazard
	SARA TITLE III-Section 313 (40 CFR 372)	This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.
16.	OTHER INFORMATION	
	NFPA Rating- FIRE	2
	NFPA Rating- HEALTH	2
	NFPA Rating- REACTIVITY	0
	NFPA Rating- SPECIAL	None.
	Revisions Highlighted	TSCA Sec.12(b) Export Notification

	<p style="text-align: center;">Abbreviations</p>	<p>CAS#: Chemical Abstract Services Number</p> <p>ACGIH: American Conference of Governmental Industrial Hygienists</p> <p>OSHA: Occupational Safety and Health Administration</p> <p>TLV: Threshold Limit Value</p> <p>PEL: Permissible Exposure Limit</p> <p>STEL: Short Term Exposure Limit</p> <p>NTP: National Toxicology Program</p> <p>IARC: International Agency for Research on Cancer</p> <p>R: Risk</p> <p>S: Safety</p> <p>LD50: Lethal Dose 50%</p> <p>LC50: Lethal Concentration 50%</p> <p>BOD: Biological Oxygen Demand</p> <p>Koc: Soil Organic Carbon Partition Coefficient.</p> <p>TLm: Median Tolerance Limit</p>
Disclaimer		
<p>The data contained herein is based on information that Shipley Company believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such products in combination with any other product and no agent of Shipley Company is authorized to vary any of such data. Shipley Company and its agents disclaim all liability for any action taken or foregone on reliance upon such data.</p>		