

# Arch Chemicals, Inc.



FOR ANY EMERGENCY, CALL 24HOURS/ 7 DAYS:

1-800-654-6911

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC(R):

1-800-424-9300

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-511-MSDS

# PRODUCT NAME: DURIMIDE™ 7310ES

# I. PRODUCT AND COMPANY IDENTIFICATION

REVISION DATE: 06-13-2001 SUPERCEDES: None

MSDS NO: 02168-0002 - 800260 SYNONYMS: Durimide(TM) 7320ES

CHEMICAL FAMILY: Photosensitive polyimide precursor solution DESCRIPTION / USE: Manufacture of microelectronic devices

FORMULA: Not applicable/Mixture

Arch Chemicals, Inc. 501 Merritt 7 PO Box 5204 Norwalk, CT 06856-5204

# II. COMPOSITION/INFORMATION ON INGREDIENTS

CAS or CHEMICAL NAME	CAS#	% Range
N-methyl-2-pyrrolidone	872-50-4	52 - 72
Polyamic acid ester	PMN-98-799	25 - 45
Acrylate monomer	109-17-1	3 - 6
Organo-titanium complex	Proprietary	1 - 2

#### III. HAZARDS IDENTIFICATION

OSHA Hazard Classification: combustible liquid, eye irritant, skin irritant, respiratory irritant, liver toxin, lung toxin, possible weak skin sensitizer

Routes of Entry: Inhalation, skin, eyes, ingestion

Chemical Interactions: No known interactions

Medical Conditions Aggravated: Respiratory diseases including asthma and bronchitis, Pre-existing liver

diseases, Dermatitis may be aggravated following exposure.

DURIMIDE<sup>TM</sup> 7310ES Page 1 of 7

Human Threshold Response Data

Odor Threshold:
Irritation Threshold:
Not established
Not established

Hazardous Materials Identification System/National Fire Protection Association Classifications

<u>Hazard Ratings:</u> <u>Health</u> <u>Flammability</u> <u>Reactivity</u>

HMIS 2 2 0

NFPA Not established

Immediate (Acute) Health Effects

Inhalation Toxicity: Not expected to be toxic by inhalation. Exposure to high concentrations may result

in alterations to the liver.

High concentrations may cause nausea and dizziness.

Inhalation Irritation: High concentrations are moderately irritating to the eyes, nose, throat, and lungs. Skin Contact: Skin contact may cause moderate irritation consisting of transient redness and

swelling. This irritant effect would not be expected to result in permanent damage.

Eye Contact May cause severe irritation, consisting of redness, swelling, and mucous membrane

discharge to the conjunctiva. Any visual impairment or corneal damage would be

expected to clear within several days. Reversible corneal opacity or visual

impairment may occur if this product is not washed out promptly and left in the eye

for an extended period of time.

Ingestion Irritation: Ingestion may cause irritation of the gastrointestinal tract and gastrointestinal

discomfort with any or all of the following symptoms: nausea, vomiting, lethargy or

diarrhea.

Ingestion Toxicity: Not expected to be toxic by ingestion unless large amounts are swallowed.

AcuteTarget Organ Toxicity: Eyes, Skin, Respiratory Tract, Liver

Prolonged (Chronic) Health Effects

Carcinogenicity: This product is not known or reported to be carcinogenic by any

reference source including IARC, OSHA, NTP or EPA.

Reproductive and Developmental Toxicity: No reproductive or developmental risk to humans is expected

from exposure to this product.

Sensitization: May cause allergic skin sensitization in some individuals.

Inhalation: Prolonged or repeated exposure will cause more severe irritation and possibly lung

damage.

Skin Contact: Dermal contact may cause defatting of skin and/or dermatitis.

Ingestion: There are no known or reported effects from chronic ingestion except for effects similar to

those experienced from single exposure.

Chronic Target Organ Toxicity: Skin, Liver, Lungs

Supplemental Health Hazard Information: No additional health information available.

IV. FIRST AID

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes

difficult.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately and

laundered before re-use. Call a physician.

DURIMIDE<sup>TM</sup> 7310ES Page 2 of 7

Eyes: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes while

holding eyelids apart. Call a physician immediately.

Ingestion: IF SWALLOWED: Immediately drink water to dilute. Consult a physician if symptoms

develop. Never give anything by mouth to an unconscious person.

# V. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): Combustible.

Flammable Properties

Flash Point: 81 Deg. C. / 178 Deg. F.

Autoignition Temperature: No data

Upper Flammable/Explosive Limit, % in air: No data Lower Flammable/Explosive Limit, % in air: No data

Fire/Explosion Hazards: Material may be ignited if preheated to temperatures above the flash point

in the presence of a source of ignition.

Use alcohol foam, carbon dioxide, dry chemical or water spray when Extinguishing Media:

> fighting fires. Water or foam may cause frothing if liquid solvent or oil is burning but it still may be a useful extinguishing agent if carefully applied

to the fire.

Fire Fighting Instructions: In case of fire, use normal fire fighting equipment including a NIOSH

approved self-contained breathing apparatus (SCBA). Use water to cool

**Hazardous Combustion Products:** carbon monoxide, carbon dioxide, Oxides of nitrogen

## VI. ACCIDENTAL RELEASE MEASURES

Personal Protection for Additional protective clothing must be worn to prevent personal contact with

> this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically

impermeable suit, self-contained breathing apparatus.

**Spill Mitigation Procedures** 

Emergency Situations:

Hazardous concentrations in air may be found in local spill area and Air Release:

> immediately downwind. Vapors may be suppressed by the use of water fog. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.

Water Release: This material is heavier than and slightly soluble in water. Notify all

downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Remove with a vacuum system or pumping device for treatment and/or disposal. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste. Continue to handle as described in land spill.

Land Release: Create a dike or trench to contain materials. Absorb spill with inert material

> (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Decontaminate all clothing and the spill area using a detergent and flush with large amounts of water. Contain all contaminated water for disposal and/or treatment. Do not place spill materials back in their original containers. Vacuum or sweep up material and place in a disposal container.

Additional Spill Information: Remove all sources of ignition. Stop source of spill as soon as possible and

> notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential

personnel. Dispose of spill residues per guidelines under Section XIII, Disposal

Consideration.

DURIMIDETM 7310ES Page 3 of 7

### VII. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing.

Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor. Ground and bond containers when transferring material.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Avoid direct exposure to sunlight or ultraviolet

(UV) light sources.

Shelf Life Limitations: See label or certificate of analysis for shelf life if applicable.

Incompatible Materials for Storage: Refer to Section X, "Incompatible Materials."

Do Not Store At temperatures Above: -15 Deg. C. 5 Deg. F. Do Not Store At Temperatures Below: -20 Deg. C. -4 Deg. F.

## VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to keep exposure to airborne contaminants below the TLV, PEL, or other recommended exposure limit and/or maintain operator comfort.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if any exposure occurs.

Respirator Type(s): NIOSH approved air purifying respirator with organic vapor cartridge and dust/mist

filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published

limit.

Skin: Avoid skin contact by wearing gloves, an apron and other protective equipment

depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Do not wear surgical style latex gloves except to protect against incidental contact with the material. Wash hands and other exposed areas with mild soap and water before

eating, drinking, smoking, and when leaving work.

Eyes: Use chemical goggles.
Protective Clothing Type: Butyl rubber, Impervious

**Exposure Limit Data** 

CHEMICAL NAME CAS # OSHA PEL / STEL ACGIH LIMITS ACGIH WEEL

1-Methyl-2-pyrrolidone 872-50-4 None established None established 10 ppm TWA; 40 mg/m3

TWA

CHEMICAL NAME NIOSH Immediately Dangerous to Life or Health:

The IDLH has not been established for this product.

## IX. PHYSICAL DATA

Physical State: viscous Color: colorless

Odor mild characteristic
Molecular Weight: Not Applicable/Mixture

pH (@ 25 Deg. C) Not applicable

Octanol/Water Coeff: No data Solubility in Water: 50.00 %

DURIMIDE<sup>TM</sup> 7310ES Page 4 of 7

Bulk Density: 1.16 g/cc

Specific Gravity: (@ 25 Deg. C) 1.16

Vapor Density: No data

Vapor Pressure: (@ 25 Deg. C) No data

Evaporation Rate: No data Volatiles, % by vol.: 45

Boiling Point: 202 Deg. C.

396 Deg. F.

Freezing Point: No data

#### X. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions. Static discharge may cause ignition at

temperatures at or above the flash point.

Reactive Properties: Combustible Hazardous Polymerization: Will not occur

Conditions to Avoid: Sparks, open flame, other ignition sources, and elevated temperatures.

Chemical Incompatibility: strong oxidizing agents

Hazardous Decomposition Products: carbon dioxide, carbon monoxide, oxides of nitrogen, amines

Decomposition Temperature: No data Product May Be Unstable At Temperatures Above: No data

## XI. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

N-methyl-2-pyrrolidone Oral LD50 Rat = 3.9 mg/kg

Dermal LD50 value:

N-methyl-2-pyrrolidone Dermal LD50 Rabbit = 8 g/kg

Inhalation LC50 value: No data

**Product Animal Toxicity** 

Oral LD50 value: Rat Approximately 3 g/kg
Dermal LD50 value: Rabbit Believed to be > 2 g/kg

Inhalation LC50 value: No data

Skin Irritation: This material is expected to be moderately irritating.

Eye Irritation: This material is expected to be severely irritating.

Skin Sensitization: May cause allergic skin sensitization in some individuals.

Reproductive and No reproductive or developmental risk to humans is expected from exposure to

Developmental Toxicity: this product.

Component Data:

N-methyl-2-pyrrolidone Animal testing has shown evidence of fetal toxicity (preimplantation loss and

delayed ossification) in the absence of maternal toxicity. No structural malformations were observed without the presence of maternal toxicity.

Mutagenicity: Not known or reported to be mutagenic.

Component Data:

N-methyl-2-pyrrolidone This chemical has been shown to be non-mutagenic based on a battery of assays.

Carcinogenicity: This chemical is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP, or EPA.

Component Data:

N-methyl-2-pyrrolidone This material did not cause cancer in long-term animal studies.

DURIMIDE<sup>TM</sup> 7310ES Page 5 of 7

## XII. ECOLOGICAL INFORMATION

**Ecological Toxicity Values:** 

N-methyl-2-pyrrolidone Bluegill LC50 = 832 mg/l.

Fathead minnow, LC50 = 1072 mg/l.

Rainbow trout (Salmo gairdneri), LD 50 = 3048 mg/l.

#### XIII. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THIS MATERIAL. THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the

characteristics of hazardous waste of Subpart C, nor is it listed as a

hazardous waste under Subpart D.

Potential US EPA Waste Codes: Not applicable

Disposal Methods: Dispose of by incineration following Federal, State, Local, or Provincial

regulations.

Components subject to land ban restrictions: No components subject to land band restrictions.

#### XIV. TRANSPORTATION INFORMATION

THIS MATERIAL IS NOT REGULATED AS A DOT HAZARDOUS MATERIAL.

DOT Description (49 CFR 172.101):

Land (U.S. DOT): NOT REGULATED
Air (IATA/ICAO): Not Regulated
Water (IMO): Not Regulated

Flash Point: (C) >61

### XV. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA): The components of this product are either listed on the Toxic

Substances Control Act Chemical Substances Inventory or are introduced into commerce in accordance with the provisions of a low

volume PMN exemption notification.

Pesticide acceptance indication: US EPA Registration Number: Not applicable

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2):

Health: Acute

Chronic

Physical: Fire

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

DURIMIDETM 7310ES Page 6 of 7

Not applicable Reportable Quantity (40 CFR 302.4): None listed

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

N-Methyl-2-pyrrolidinone form R reporting required for 1.0% de minimis concentration

<u>State Right-to-Know Regulations Status of Ingredients</u>
Pennsylvania: 2-Pyrrolidinone, 1-methyl-

New Jersey: Not listed

Massachusetts: 1-Methyl-2-pyrrolidone

# XVI. ADDITIONAL INFORMATION

MSDS REVISION

**STATUS:** 

Section(s) Revised: 1

#### **MAJOR REFERENCES:**

- Workplace Environmental Exposure Level Guide (WEEL Guide), n-Methyl-2-Pyrrolidone. American Industrial Hygiene Association, Fairfax, VA, 1998.
  - •
  - Report on Acute Oral Toxicity with 7500 Resin (Probimide 733) in the Rat (Fixed Dose Method).
     NOTOX Safety and Environmental Research B.V., The Netherlands. NOTOX Project #119914, June 13, 1994.

Other references available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION INTHIS MSDS SHOULD BE PROVIDEDTO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

DURIMIDE<sup>TM</sup> 7310ES Page 7 of 7