

MATERIAL SAFETY DATA SHEET

Date Printed: 01/14/2007

Date Updated: 02/04/2006

Version 1.4

Section 1 - Product and Company Information

Product Name LEAD, ROD, 5.0MM DIAM., 99.9995%
Product Number 265853
Brand ALDRICH

Company Sigma-Aldrich
Address 3050 Spruce Street
SAINT LOUIS MO 63103 US

Technical Phone: 800-325-5832
Fax: 800-325-5052
Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
LEAD, ROD/STICK	7439-92-1	Yes

Formula Pb
Synonyms C.I. Pigment Metal 4 * C.I. 77575 * Glover * KS-4
* Lead (ACGIH) * Lead flake * Lead inorganic
(OSHA) * Lead S2 * Olow (Polish) * Omaha & grant
RTECS Number: OF7525000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Toxic.

May cause harm to the unborn child. Danger of cumulative effects.
Limited evidence of a carcinogenic effect. Harmful: danger of
serious damage to health by prolonged exposure through inhalation.
Possible risk of impaired fertility.
Target organ(s): Blood. Calif. Prop. 65 carcinogen & developmental
hazard. Nerves.

HMIS RATING

HEALTH: 0*
FLAMMABILITY: 0
REACTIVITY: 0

NFPA RATING

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is

conscious. Call a physician immediately.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Noncombustible. Use extinguishing media appropriate to surrounding fire conditions.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s): Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. Wear disposable coveralls and discard them after use.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal.

Section 7 - Handling and Storage

HANDLING

User Exposure: Avoid contact and inhalation. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep container closed.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Use only in a chemical fume hood. Safety shower and eye bath.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.
Hand: Compatible chemical-resistant gloves.
Eye: Chemical safety goggles.

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Wash thoroughly after handling.

EXPOSURE LIMITS, RTECS

Country	Source	Type	Value
USA	ACGIH	TWA	0.05(PB)/M3
USA	MSHA Standard-air	TWA	0.15 MG/M3
USA	OSHA.	PEL	SEE CFR 29,1910.1025
USA	NIOSH	TWA	50 UG/M3

Section 9 - Physical/Chemical Properties

Appearance	Physical State: Solid	
	Form: Rods	
Property	Value	At Temperature or Pressure
Molecular Weight	207.2 AMU	
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	N/A	
Freezing Point	N/A	
Vapor Pressure	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	N/A	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	
Evaporation Rate	N/A	
Viscosity	N/A	
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	N/A	
Explosion Limits	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Refractive Index	N/A	
Optical Rotation	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.
Materials to Avoid: Strong acids.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Nature of decomposition products not known.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.
Skin Absorption: May be harmful if absorbed through the skin.
Eye Contact: May cause eye irritation.
Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.
Ingestion: May be harmful if swallowed.

TARGET ORGAN(S) OR SYSTEM(S)

Nerves. Blood. Kidneys. Male reproductive system. Female reproductive system.

SIGNS AND SYMPTOMS OF EXPOSURE

Anemia.

CONDITIONS AGGRAVATED BY EXPOSURE

May cause nervous system disturbances.

CHRONIC EXPOSURE - CARCINOGEN

Result: This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. A carcinogenic risk assessment by the US EPA classifies lead and inorganic lead compounds as B2 - inadequate human evidence, sufficient animal evidence. The animal data is from studies using lead salts, primarily phosphates and acetates. There is no evidence that any of the studies cited in this assessment used lead nitrate.

IARC CARCINOGEN LIST

Rating: Group 2B

CHRONIC EXPOSURE - TERATOGEN

Result: May cause congenital malformation in the fetus.

Species: Rat

Dose: 790 MG/KG

Route of Application: Oral

Exposure Time: (MULTIGENERATIONS)

Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

Species: Rat

Dose: 1100 MG/KG

Route of Application: Oral

Exposure Time: (1-22D PREG)

Result: Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Effects on

Newborn: Growth statistics (e.g., reduced weight gain).

Species: Rat

Dose: 10 MG/M3/24H

Route of Application: Inhalation

Exposure Time: (1-21D PREG)

Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).

Species: Mouse

Dose: 1120 MG/KG

Route of Application: Oral

Exposure Time: (MULTIGENERATIONS)

Result: Effects on Embryo or Fetus: Fetal death. Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Species: Mouse

Dose: 4800 MG/KG

Route of Application: Oral

Exposure Time: (1-16D PREG)

Result: Effects on Embryo or Fetus: Cytological changes (including somatic cell genetic material).

Species: Mammal

Dose: 2118 MG/KG

Route of Application: Oral

Exposure Time: (15D POST)

Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

CHRONIC EXPOSURE - MUTAGEN

Species: Human

Route: Unreported

Dose: 50 UG/M3

Mutation test: Cytogenetic analysis

Species: Rat

Route: Inhalation

Dose: 23 UG/M3/16W

Mutation test: Cytogenetic analysis

Species: Monkey

Route: Oral

Dose: 42 MG/KG

Exposure Time: 30W

Mutation test: Cytogenetic analysis

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Result: May cause reproductive disorders.

Species: Rat

Dose: 1140 MG/KG

Route of Application: Oral

Exposure Time: (14D PRE-21D POST)

Result: Effects on Newborn: Behavioral.

Species: Rat

Dose: 520 MG/KG

Route of Application: Oral

Exposure Time: (7-22D PREG/10D POST)
Result: Effects on Newborn: Biochemical and metabolic.

Species: Rat
Dose: 3 MG/M3/24H
Route of Application: Inhalation
Exposure Time: (1-21D PREG)
Result: Effects on Newborn: Biochemical and metabolic.

Species: Mouse
Dose: 6300 MG/KG
Route of Application: Oral
Exposure Time: (1-21D PREG)
Result: Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated).

Species: Mouse
Dose: 300 MG/KG
Route of Application: Oral
Exposure Time: (1-2D PREG)
Result: Effects on Fertility: Other measures of fertility

Species: Domestic Animals
Dose: 662 MG/KG
Route of Application: Oral
Exposure Time: (1-21W PREG)
Result: Effects on Newborn: Behavioral.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Material in the elemental state should be recovered for reuse or recycling. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: None
Non-Hazardous for Transport: This substance is considered to be non-hazardous for transport.

IATA

Non-Hazardous for Air Transport: Non-hazardous for air transport.

Section 15 - Regulatory Information

EU ADDITIONAL CLASSIFICATION

Symbol of Danger: T
Indication of Danger: Toxic.
R: 61-33-40-48/20-62
Risk Statements: May cause harm to the unborn child. Danger of cumulative effects. Limited evidence of a carcinogenic effect.
Harmful: danger of serious damage to health by prolonged

exposure through inhalation. Possible risk of impaired fertility.

S: 53-36/37-45

Safety Statements: Avoid exposure - obtain special instructions before use. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Toxic.

Risk Statements: May cause harm to the unborn child. Danger of cumulative effects. Limited evidence of a carcinogenic effect.

Harmful: danger of serious damage to health by prolonged exposure through inhalation. Possible risk of impaired fertility.

Safety Statements: Avoid exposure - obtain special instructions before use. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements: Target organ(s): Blood. Nerves. Calif. Prop. 65 carcinogen & developmental hazard.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: Yes

DEMINIMIS: 0.1 %

NOTES: This product is subject to SARA section 313 reporting requirements. This product is subject to SARA section 313 reporting requirements.

TSCA INVENTORY ITEM: Yes

UNITED STATES - STATE REGULATORY INFORMATION

CALIFORNIA PROP - 65

California Prop - 65: This product is or contains chemical(s) known to the state of California to cause developmental toxicity. This product is or contains chemical(s) known to the state of California to cause cancer.

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.